

MADCAP FLARE DESKTOP 2025 r2

Lists

Copyright © 2025 MadCap Software. All rights reserved.

Information in this document is subject to change without notice. The software described in this document is furnished under a license agreement or nondisclosure agreement. The software may be used or copied only in accordance with the terms of those agreements. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or any means electronic or mechanical, including photocopying and recording for any purpose other than the purchaser's personal use without the written permission of MadCap Software.

MadCap Software
1660 17th Street, Suite 201
Denver, Colorado 80202
858-320-0387
www.madcapsoftware.com

THIS PDF WAS CREATED USING MADCAP FLARE.

CONTENTS

CHAPTER 1

Welcome 5

CHAPTER 2

Creating a Project From a Template 7

 How to Create a New Project From a Template 8

CHAPTER 3

Creating Bulleted and Numbered Lists 9

 How to Create a Simple Bulleted List 10

 How to Create Multiple Levels in the Bulleted List 15

 How to Create a Simple Numbered List 18

 How to Create Multiple Levels in the Numbered List 23

CHAPTER 4

Editing and Applying List Styles 31

 How to Control the List Style Type for First-Level Bullets 32

 How to Control the List Style Type for Second-Level Bullets 38

 How to Control the List Style Type for Second-Level Numbers 42

 How to Control the Spacing Between List Items 44

CHAPTER 5

Adding Content Between List Items	50
How to Manually Add or Remove Paragraph Tags in Lists ..	52
How to Add Content Between List Items	56

CHAPTER 6

Setting Page Breaks in Lists	60
How to Add Page Breaks via Styles	61
How to Add Page Breaks Manually	73

CHAPTER 7

Creating Advanced Lists With Autonumbers	79
How to Add Autonumber List Styles	80
How to Apply Autonumber List Styles	83
How to Insert a Cross-Reference to a Step	88

CHAPTER 8

Creating a Definition List	94
How to Create a Definition List	95
How to Create a Snippet in a Definition List	100

APPENDIX

PDFs	102
Tutorials	102
Cheat Sheets	103
User Guides	104

CHAPTER 1

Welcome

Approximate Time: 40 minutes

Welcome to the Lists Tutorial.

- **Tutorial Goal** Learning how to create and manage various types of lists.
- **Key Concepts** Creating simple and multi-level lists, controlling list styles, adding page breaks within list items, and understanding definition lists.

How to Kayak

1. Find a good area.

- Calm, shallow water
 - a. Say, "Hello, water. Mind if I kayak?"
 - b. Thank the water.
- No rocks

2. Place the kayak in the water.

Here is the best way to do it:

- a. Put the front end in first.
- b. With your hand on the back of the kayak, position it in the water.

3. Get in the kayak.

We recommend not falling out.

Seriously, don't fall out.

4. Focus your brain.

5. Paddle like the wind.


CHAPTER 2

Creating a Project From a Template

To start, let's create a new project based on Flare's Austin template.

I How to Create a New Project From a Template

1. Select **File > New Project**. The Start New Project Wizard opens.
2. In the **Project name** field, give your project any name you want.
3. (Optional) In the **Project folder** field, you can enter a location where you want to save your project. By default, projects are saved in your Documents > My Projects folder.
4. Click **Next**.
5. Under **Factory Templates**, expand the **Tutorials** folder. Select the **Austin** template.



6. Click **Next**.
7. For branding, keep the default settings. (This is where you could customize your project's look with branding, such as colors and logo.) Click **Next**.
8. Click **Finish**. The project is created and loaded into Flare Desktop.

Creating Bulleted and Numbered Lists

Let's create some simple and multi-level lists.

This chapter discusses the following:

- How to Create a Simple Bulleted List 10
- How to Create Multiple Levels in the Bulleted List 15
- How to Create a Simple Numbered List 18
- How to Create Multiple Levels in the Numbered List 23

I How to Create a Simple Bulleted List

1. From the Content Explorer, double-click the **Attractions.htm** topic. The topic opens in the XML Editor.
2. Scroll down to the bottom of the topic, place your cursor to the right of the last image and press **ENTER** to create an empty paragraph.

Lady Bird Lake

This popular lake is a section of the Colorado River named after the
and canoe rentals.



3. Copy and paste the following text at that location.

Things You Need for Kayaking

Paddle

Get the right size.

Don't choose a paddle made of jello.


Life jacket

Make sure it is snug.

Don't choose a life jacket made of jello either.

Bilge pump (for bailing water)

4. Place your cursor anywhere in the first paragraph ("Things You Need for Kayaking"), and from the **Home** ribbon, click in the **Style** drop-down and select **h3**.



5. Select the rest of the text under the new heading.

Things You Need for Kayaking

Paddle

Get the right size.

Don't choose a paddle made of jello.

Life jacket

Make sure it is snug.

Don't choose a life jacket made of jello either.

Bilge pump (for bailing water)

6. From the **Home** ribbon, click the face of the **List** button  (or you can click the down arrow and select **Bullet List**).

You now have a simple bulleted list.

Things You Need for Kayaking


- Paddle
- Get the right size.
- Don't choose a paddle made of jello.
- Life jacket
- Make sure it is snug.
- Don't choose a life jacket made of jello either.
- Bilge pump (for bailing water)

✓ **TIP** When starting a new list, it is best to select either the **Bullet List** or **Numbered List** option. Selecting any of the other options might give you the kind of bullet or number you want, but it will be local formatting, which you should avoid. Instead, use styles to control the types of bullets and numbers, which we will cover later.


I How to Create Multiple Levels in the Bulleted List

Creating the bulleted list was easy, but there are a couple of places where there should be secondary lists within the main list. We will fix that now.

1. Select the second and third bullet items.



2. In the **Home** ribbon, click . (Alternatively, you can press the **TAB** key.)



Those items are indented.

Things You Need for Kayaking

- Paddle
 - Get the right size.
 - Don't choose a paddle made of jello.
- Life jacket
 - Make sure it is snug.
 - Don't choose a life jacket made of jello either.
- Bilge pump (for bailing water)

3. Select the next two bullet items under **Life jacket**.

Things You Need for Kayaking

- Paddle
 - Get the right size.
 - Don't choose a paddle made of jello.
- Life jacket
 - Make sure it is snug.
 - Don't choose a life jacket made of jello either.
- Bilge pump (for bailing water)

4. Once again, click  or press the **TAB** key.


The list should now look like this.

Things You Need for Kayaking

- Paddle
 - Get the right size.
 - Don't choose a paddle made of jello.
- Life jacket
 - Make sure it is snug.
 - Don't choose a life jacket made of jello either.
- Bilge pump (for bailing water)

I How to Create a Simple Numbered List

1. Place your cursor at the end of the last bullet item and press **ENTER** twice to exit from the list and create a new empty paragraph.



2. Copy and paste the following text at that location.

How to Kayak

Find a good area.

Calm, shallow water

Say, "Hello, water. Mind if I kayak?"

Thank the water.

No rocks

Place the kayak in the water.

Put the front end in first.


With your hand on the back of the kayak, position it in the water.

Get in the kayak.


Paddle like the wind.

3. Place your cursor anywhere in the first paragraph that you just copied ("How to Kayak"), and from the **Home** ribbon, click in the **Style** drop-down and select **h3**.

When finished, it should look like this.



4. Select the rest of the text under the new heading.
5. From the **Home** ribbon, click the down arrow on the **List** button  and select **Numbered List**.



You now have a simple numbered list under the bulleted list.

Things You Need for Kayaking

- Paddle
 - Get the right size.
 - Don't choose a paddle made of jello.
- Life jacket
 - Make sure it is snug.
 - Don't choose a life jacket made of jello either.
- Bilge pump (for bailing water)

How to Kayak

1. Find a good area.
2. Calm, shallow water
3. Say, "Hello, water. Mind if I kayak?"
4. Thank the water.
5. No rocks
6. Place the kayak in the water.
7. Put the front end in first.
8. With your hand on the back of the kayak, position it in the water.
9. Get in the kayak.
10. Paddle like the wind.

I How to Create Multiple Levels in the Numbered List

Like the bulleted list, we need some additional levels in our numbered list.

1. Select list items 2-5.

How to Kayak

1. Find a good area.
2. Calm, shallow water
3. Say, "Hello, water. Mind if I kayak?"
4. Thank the water.
5. No rocks
6. Place the kayak in the water.
7. Put the front end in first.
8. With your hand on the back of the kayak, position it in the water.
9. Get in the kayak.
10. Paddle like the wind.

2. In the **Home** ribbon, click  or press the **TAB** key.

Those items are indented.

How to Kayak

1. Find a good area.
 1. Calm, shallow water
 2. Say, "Hello, water. Mind if I kayak?"
 3. Thank the water.
 4. No rocks
2. Place the kayak in the water.
3. Put the front end in first.
4. With your hand on the back of the kayak, position it in the water.
5. Get in the kayak.
6. Paddle like the wind.

3. In the new sub-list, select items 2-3.

How to Kayak

1. Find a good area.
 1. Calm, shallow water
 2. Say, "Hello, water. Mind if I kayak?"
 3. Thank the water.
 4. No rocks
2. Place the kayak in the water.
3. Put the front end in first.
4. With your hand on the back of the kayak, position it in the water.
5. Get in the kayak.
6. Paddle like the wind.

4. Click  or press TAB.

Now there are three levels.

How to Kayak

1. Find a good area.
 1. Calm, shallow water
 1. Say, "Hello, water. Mind if I kayak?"
 2. Thank the water.
 2. No rocks
2. Place the kayak in the water.
3. Put the front end in first.
4. With your hand on the back of the kayak, position it in the water.
5. Get in the kayak.
6. Paddle like the wind.

5. Select list items 3-4.

How to Kayak

1. Find a good area.
 1. Calm, shallow water
 1. Say, "Hello, water. Mind if I kayak?"
 2. Thank the water.
 2. No rocks
2. Place the kayak in the water.
3. Put the front end in first.
4. With your hand on the back of the kayak, position it in the water.
5. Get in the kayak.
6. Paddle like the wind.


6. Click  or press TAB.

The list should now look like this.

How to Kayak

1. Find a good area.
 1. Calm, shallow water
 1. Say, "Hello, water. Mind if I kayak?"
 2. Thank the water.
 2. No rocks
2. Place the kayak in the water.
 1. Put the front end in first.
 2. With your hand on the back of the kayak, position it in the water.
3. Get in the kayak.
4. Paddle like the wind.


7. We don't want all of the sub-lists to use regular decimals like the first level. In fact, we want one of those lists to use bullets. So right-click the **ol** structure bar to the left of the first sub-list.




How to Kayak

1. Find a good area.
 1. Calm, shallow water
 1. Say, "Hello, water. Mind if I kayak?"
 2. Thank the water.
 2. No rocks
2. Place the kayak in the water.
 1. Put the front end in first.
 2. With your hand on the back of the kayak, position it in the water.
3. Get in the kayak.
4. Paddle like the wind.

8. Select **List Type > Bullet List**.



The list should now look like this.



9. Click  to save your work.

CHAPTER 4

Editing and Applying List Styles


We have a couple of multi-level lists. However, those lists aren't using the kinds of numbers and bullets that we want at the various levels. So let's make some style changes.

This chapter discusses the following:


- How to Control the List Style Type for First-Level Bullets 32
- How to Control the List Style Type for Second-Level Bullets 38
- How to Control the List Style Type for Second-Level Numbers 42
- How to Control the Spacing Between List Items 44

I How to Control the List Style Type for First-Level Bullets


1. From the Content Explorer, expand **Resources > Stylesheets**. Then double-click **Styles.css**.
2. Make sure the following are selected in the Stylesheet Editor.




3. On the left side, scroll down and select **ul**. This style controls the first level of unordered (or bulleted) lists.




4. On the right side, expand the **List** group.



5. Notice that the **list-style-type** property already has "disc" as its selection. A disc is a solid, round bullet. We want to change this so that the first level of a bulleted list uses a square instead. So to the right of this property, click .



6. From the menu, scroll down and select **square**.



7. Click  to save your work.

8. Go back to the **Attractions.htm** topic. Notice that the bulleted lists now use squares. Even the second-level lists are using squares, because they are inheriting the setting from the first level.

Things You Need for Kayaking


- Paddle
 - Get the right size.
 - Don't choose a paddle made of jello.
- Life jacket
 - Make sure it is snug.
 - Don't choose a life jacket made of jello either.
- Bilge pump (for bailing water)

How to Kayak


1. Find a good area.
 - Calm, shallow water
 1. Say, "Hello, water. Mind if I kayak?"
 2. Thank the water.
 - No rocks
2. Place the kayak in the water.
 1. Put the front end in first.
 2. With your hand on the back of the kayak, position it in the water.
3. Get in the kayak.
4. Paddle like the wind.

I How to Control the List Style Type for Second-Level Bullets


1. Go back to the stylesheet.
2. On the left side, scroll up and expand (Complex Selectors).




3. Scroll down to the styles that begin with **li p**. These are complex (or advanced) selectors related to lists that are already in the stylesheet. Some are displayed in gray because no explicit settings have been placed on them yet. A complex selector is a style that combines two or more selectors in some way. When you see a complex selector that separates the individual selectors by a simple space (e.g., `ol ol`), that means you are telling Flare Desktop what to do in case one selector is found inside another selector in a topic. In our case, we have some nested bulleted lists with two levels (i.e., `ul ul`). We also have some nested lists within a numbered (`ol`) list. You can even combine numbered and bulleted lists together, which we have created in the previous lesson. So "`ol ul ol`" means a numbered list within a bulleted list, which in turn is inside a numbered list.



4. We could make changes to multiple combinations of lists, but we are only going to change a couple of them. First, select the **ul ul** complex selector.



5. On the right side, notice that "square" is already selected as the **list-style type**, since it is inheriting from the simple "ul" selector that we already changed. But we want our second-level bullet items to use something different. So click **...**, and from the menu select **circle**.



6. Click  to save your work.


7. Go back to the **Attractions.htm** topic. Notice that the second-level bulleted lists now use circles, but the first-level bulleted lists still use squares.

Things You Need for Kayaking


- Paddle
 - Get the right size.
 - Don't choose a paddle made of jello.
- Life jacket
 - Make sure it is snug.
 - Don't choose a life jacket made of jello either.
- Bilge pump (for bailing water)

How to Control the List Style Type for Second-Level Numbers

1. Go back to the stylesheet.
2. On the left side, select `ol ol`.



3. On the right side, notice that "decimal" (a regular number) is already selected as the **list-style type**, since it is inheriting from the simple "ol" selector. That's what we want for the first-level bullets, but not the second level. So click `...`, and from the menu select **lower-alpha**.



4. Click  to save your work.

5. Go back to the **Attractions.htm** topic. Notice that the second-level numbered lists now use lower-alpha characters, but the first-level bulleted lists still use decimals.

How to Kayak

1. Find a good area.
 - Calm, shallow water
 - a. Say, "Hello, water. Mind if I kayak?"
 - b. Thank the water.
 - No rocks
2. Place the kayak in the water.
 - a. Put the front end in first.
 - b. With your hand on the back of the kayak, position it in the water.
3. Get in the kayak.
4. Paddle like the wind.




NOTE In this tutorial, our project stylesheet already had the complex selectors that we needed. However, you can always create new complex selectors if you need something else (e.g., a "ol ul ul ol" selector).


I How to Control the Spacing Between List Items

Changing the list-style-type property isn't the only way you can modify the look of lists. You can make all kinds of changes (fonts, borders, spacing, indentation, etc.), and not just to the main ol and ul containers. You can also adjust the look of li selectors (or list items). Let's do that now to increase the amount of space between items in a list. Therefore, we're going to change the bottom and top margins. If we wanted to change the indentation, we could edit the left margin setting.

1. Go back to the stylesheet.
2. On the left side, scroll down and select li.



3. On the right side, expand the **Box** group.




4. Change the **margin-bottom** and **margin-top** values to **40px**. Click outside of the second cell after you enter the value. A margin of 40px is way more than what we really want, but we'll do this temporarily so you can see the results.

▷	Block	
▷	Border	
◀	Box	
	clear:	...
	float:	...
	height:	...
	margin:	...
	margin-bottom:	40px ...
	margin-left:	...
	margin-right:	...
	margin-top:	40px ...
	padding:	...
	padding-bottom:	...
	padding-left:	...

5. Click  to save your work.

6. Go back to the **Attractions.htm** topic. Notice that the increased spacing.



7. Go back to the stylesheet and change the values to **16px**. Click outside of the second cell after you enter the value.

8. Click  to save your work.

9. Go back to the topic and notice the change.


10. There is another related style to change. In the stylesheet, scroll up to the (Complex Selectors) group, and select **li p**. We need to make the same change to this complex selector because it will account for list items where a paragraph tag occurs within it, which is what we will be covering in the next lesson.




11. Set the **margin-bottom** and **margin-top** values to **16px**. Click outside of the second cell after you enter the value.
12. Click  to save your work.

Adding Content Between List Items

We have some lists now, which we have styled. Sometimes you want to add extra information between list items, such as a note or image. This requires a paragraph tag within a list item, like this:



This structure is the default behavior when you create a new list, unless you have previously changed this setting in the Options dialog (**File > Options > XML Editor** tab). Selecting **Paragraph** automatically adds `<p>` tags within `<li>` tags, and **Simple** just uses `<li>` tags in lists.




You can also manually change the setting for an entire list or for individual list items. Let's do that now, and see how this affects the ability to add content between list items.

This chapter discusses the following:


- How to Manually Add or Remove Paragraph Tags in Lists 52
- How to Add Content Between List Items 56

I How to Manually Add or Remove Paragraph Tags in Lists

1. Open the **Attractions.htm** topic where we have created the lists.
2. To the left of the numbered list, right-click the **ol** structure bar, and from the context menu select **Make Simple Item(s)**.



All of the <p> tags are removed from the tags.




The screenshot shows a web page titled "How to Kayak" with a list of four steps. On the left side, the source code is visible, with red boxes highlighting the tags for each step. The steps are:

1. Find a good area.
 - Calm, shallow water
 - a. Say, "Hello, water. Mind if I kayak?"
 - b. Thank the water.
 - No rocks
2. Place the kayak in the water.
 - a. Put the front end in first.
 - b. With your hand on the back of the kayak, position it in the water.
3. Get in the kayak.
4. Paddle like the wind.

3. Right-click the **li** tag next to step 3 ("Get in the kayak").

4. From the context menu, select **Make Paragraph Item(s)** (or press **CTRL+;**).

A `<p>` tag is inserted within that `<li>` tag.



The screenshot shows a document editor interface. On the left is a vertical toolbar with various icons. The main content area has a title "How to Kayak" in bold. Below the title is a numbered list:


1. Find a good area.
 - Calm, shallow water
 - a. Say, "Hello, water. Mind if I kayak?"
 - b. Thank the water.
 - No rocks
2. Place the kayak in the water.
 - a. Put the front end in first.
 - b. With your hand on the back of the kayak, position it in the water.
3. Get in the kayak.
4. Paddle like the wind.

A context menu is open over the third list item, "3. Get in the kayak.". The menu contains several options, with "Make Paragraph Item(s)" highlighted in blue. A red rectangle is drawn around the "3. Get in the kayak." text in the list.

This means you could add content between steps 3 and 4, without disrupting the numbering.

5. Right-click the outer **ol** structure bar again, and from the context menu select **Make Paragraph Item(s)**.

Now we are back where we started, with <p> tags inside all tags.



How to Kayak

1. Find a good area.
 - Calm, shallow water
 - a. Say, "Hello, water. Mind if I kayak?"
 - b. Thank the water.
 - No rocks
2. Place the kayak in the water.
 - a. Put the front end in first.
 - b. With your hand on the back of the kayak, position it in the water.
3. Get in the kayak.
4. Paddle like the wind.

6. Click  to save your work.

I How to Add Content Between List Items

1. At the end of step 3 ("Get in the kayak"), press **ENTER**. You should now see an empty step 4.

h3

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

How to Kayak

1. Find a good area.
 - Calm, shallow water
 - a. Say, "Hello, water. Mind if I kayak?"
 - b. Thank the water.
 - No rocks
2. Place the kayak in the water.
 - a. Put the front end in first.
 - b. With your hand on the back of the kayak, position it in the water.
3. Get in the kayak.
4. 
5. Paddle like the wind.

2. With your cursor still on that line, press the **BACKSPACE** key.

The number is removed and you should see a yellow arrow  to the left of the new paragraph. That simply provides a quick way to exit the paragraph mode and go back to a list item.

How to Kayak

- Find a good area.
 - Calm, shallow water
 - Say, "Hello, water. Mind if I kayak?"
 - Thank the water.
 - No rocks
- Place the kayak in the water.
 - Put the front end in first.
 - With your hand on the back of the kayak, position it in the water.
- Get in the kayak.




- Paddle like the wind.

3. Type the following in the new paragraph:

4. Let's add one more line under step 3. Press **ENTER** at the end of the paragraph, press the **BACKSPACE** key, and type the following:

Seriously, don't fall out.



How to Kayak

1. Find a good area.
 - Calm, shallow water
 - a. Say, "Hello, water. Mind if I kayak?"
 - b. Thank the water.
 - No rocks
2. Place the kayak in the water.
 - a. Put the front end in first.
 - b. With your hand on the back of the kayak, position it in the water.
3. Get in the kayak.

We recommend not falling out.

Seriously, don't fall out.
4. Paddle like the wind.

Notice that the additional content did not disrupt the numbering of the list. You still have steps 1-4.

5. Click  to save your work.

Setting Page Breaks in Lists


For our PDF output, it is sometimes necessary to include page breaks in lists so that they continue where you want from one page to the next. There are a couple of ways to add page breaks (via styles or manually), and we will do both in this lesson.

This chapter discusses the following:


- How to Add Page Breaks via Styles61
- How to Add Page Breaks Manually 73

I How to Add Page Breaks via Styles


1. Before we add a page break, let's build our PDF output so that we can see where we want it. Select the **Project** ribbon. Then, from the **Build Primary** drop-down, select **Build All-About-Austin-PDF**.



2. After it finishes building, double-click the row in the Builds window pane at the bottom to open the PDF.




3. Scroll down, and at the bottom of page 8, notice the beginning of the bulleted list.




4. We decide that it might look better if the heading and list started on the next page. So let's place a page break on the heading through a style. Begin by closing the PDF, then in Flare Desktop open the **Styles.css** stylesheet.


5. On the left side of the editor, scroll down and select **h3**. Then, in the toolbar, click **Add Selector**.



6. In the dialog, type **Page-Break-Before** as the name of the class, and click **OK**.




7. On the right side, expand the **PrintSupport** group, and set the **page-break-before** property to **always**.




8. Click  to save your work.

9. Open the **Attractions.htm** topic, and select (i.e., left-click) the **h3** structure bar of the heading "Things You Need for Kayaking." The entire heading should be highlighted.



10. From the **Home** ribbon, click the **Style** drop-down and select **h3.Page-Break-Before**.



11. Click  to save your work.
12. Rebuild the PDF target, and open it when it finishes.

13. Scroll down in the PDF to pages 8-10, and notice the heading and list now begin on page 9.

Lady Bird Lake

This popular lake is a section of the Colorado River named after the wife of President Lyndon Johnson. It offers miles of shoreline, with walking and biking trails, as well as kayak and canoe rentals.



ATTRACTIONS

8



Things You Need for Kayaking

- Paddle
 - Get the right size.
 - Don't choose a paddle made of jello.
- Life jacket
 - Make sure it is snug.
 - Don't choose a life jacket made of jello either.
- Bilge pump (for bailing water)

How to Kayak

1. Find a good area.
 - Calm, shallow water
 - a. Say, "Hello, water. Mind if I kayak?"
 - b. Thank the water.
 - No rocks
2. Place the kayak in the water.

ATTRACTIONS


9

14. Also notice that step 2 of "How to Kayak" is now at the bottom of the page, and it has sub-steps under it, which are now at the top of page 10.

 ATTRACTIONS 8	How to Kayak - Find a good area. - Calm, shallow water - Say, "Hello, water. Mind if I kayak?" - Thank the water. - No rocks - Place the kayak in the water. ATTRACTIONS 9
 - Put the front end in first. - With your hand on the back of the kayak, position it in the water. - Get in the kayak. We recommend not falling out. Seriously, don't fall out.	Music Known as "The Live Music Capital of the World," Austin has an eclectic, vibrant music scene. There are more music venues per capita in Austin than in any other city in the United States. See "South by Southwest" on the next page and "Austin City Limits" on page 13.

15. Let's add a page break to step 2 in order to keep it on the same page as its sub-steps. First close the PDF.

16. Go back to the stylesheet and repeat steps 5-8, but instead of creating the class for h3, do it for the li style. When you are finished, you should have a class called **li.Page-Break-Before** with the page break associated with that class.



17. Click  to save your work.

18. Open the **Attractions.htm** topic, and select (i.e., left-click) the **li** structure bar for step 2. The entire list item, including its sub-steps, should be highlighted.




How to Kayak

- Find a good area.
 - Calm, shallow water
 - Say, "Hello, water. Mind if I kayak?"
 - Thank the water.
 - No rocks
- Place the kayak in the water.
 - Put the front end in first.
 - With your hand on the back of the kayak, position it in the water.
- Get in the kayak.

We recommend not falling out.

Seriously, don't fall out.
- Paddle like the wind.

19. From the **Home** ribbon, click the **Style** drop-down and select **li.Page-Break-Before**.



20. Click  to save your work.
21. Rebuild the PDF target, and open it when it finishes.

22. Scroll down in the PDF to pages 9-10, and notice that step 2 now begins at the top of page 10.


 ATTRACTIONS 8	■ Bilge pump (for bailing water) How to Kayak 1. Find a good area. ■ Calm, shallow water a. Say, "Hello, water. Mind if I kayak?" b. Thank the water. ■ No rocks ATTRACTIONS 9
 2. Place the kayak in the water. a. Put the front end in first. b. With your hand on the back of the kayak, position it in the water. 3. Get in the kayak. We recommend not falling out. Seriously, don't fall out. 4. Paddle like the wind.	Music Known as "The Live Music Capital of the World," Austin has an eclectic, vibrant music scene. There are more music venues per capita in Austin than in any other city in the United States. See "South by Southwest" on the next page and "Austin City Limits" on page 13.

23. Close the PDF.


How to Add Page Breaks Manually

Styles are almost always recommended over doing something manually. However, you might want to use the manual page break sometimes. For example, you might have a list that appears in multiple outputs, and in some outputs you want a page break to appear in a certain place, but in other outputs you might not want a page break. You could have two instances of a list item (one with a page break style applied and one without), then condition each list item for the different outputs. However, it might be simpler to just insert a manual page break and condition that for only the targets where the page break should occur. Keep in mind that with manual page breaks, the break always occurs *after* its insertion point.

1. Go back to the **Attractions.htm** topic and undo the application of the **li.Page-Break-Before** style class to step 2. In other words, you want step 2 to only use the parent **li** style.



2. Place your cursor somewhere on the last line ("No rocks") under step 1. Then, press the down arrow key on your keyboard four times, until you see a horizontal line flashing between the steps.




1. Find a good area.

- Calm, shallow water
 - a. Say, "Hello, water. Mind if I kayak?"
 - b. Thank the water.
- No rocks

2. Place the kayak in the water.

- a. Put the front end in first.
- b. With your hand on the back of the kayak, pos

3. Press **ENTER**. You should now see an empty step 2. However, this number will go away when we are finished.




1. Find a good area.
 - Calm, shallow water
 - a. Say, "Hello, water. Mind if I kayak?"
 - b. Thank the water.
 - No rocks
2. 
3. Place the kayak in the water.
 - a. Put the front end in first.
 - b. With your hand on the back of the kayak, position it in the water.
4. Get in the kayak.


We recommend not falling out.

Seriously, don't fall out.

4. The empty list item has a `<p>` tag in it, like the others. We need to remove this tag before inserting the page break. So right-click the `li` structure bar and select **Make Simple Item(s)**.



5. Place your cursor in the empty step 2. Then from the **Insert** ribbon, select **Page Break**. A gray bar appears at that location and the number is removed next to it.



You don't need to condition the bar unless you want it to be used in only some print-based outputs but not others. It will automatically be ignored in online outputs.

6. Click  to save your work.
7. Rebuild the PDF target, and open it when it finishes.
8. Scroll down in the PDF to pages 9-10, and notice that step 2 begins on page 10.
9. Close the PDF.

Creating Advanced Lists With Autonombers

In addition to using the quick list drop-down menu, you can use autonumbering to create more advanced types of lists. You might want to use autonumbering on lists, for example, if you want the list items to contain text in addition to numbers (e.g., Step 1, Step 2, Step 3). A list using autonumbers also supports cross-references to specific list items.

This chapter discusses the following:

- How to Add Autonomber List Styles 80
- How to Apply Autonomber List Styles83
- How to Insert a Cross-Reference to a Step88

I How to Add Autonumber List Styles

There are many ways to accomplish most things with styles. The following styles and settings are just one way to do it for a simple, single-level list. If you want to create multiple levels or add comments between steps, more styling is necessary.

Also, with the following we are associating autonumbers with an ol style class, but you can accomplish something similar by using autonumbers with paragraph style classes.

1. Copy the following.

```
ol.StepNumber > li
{
    list-style-type: none;
    mc-auto-number-format: 'S:Step {n+}: ';
    mc-auto-number-class: StepNumber;
    margin-left: -35px;
    padding-left: 59px;
    text-indent: -59px;
}


ol.StepNumber > li:first-child
{
    mc-auto-number-format: 'S:Step {n=1}: ';
}

span.StepNumber
{
    font-weight: bold;
}

MadCap|xref.StepNumber
{
    mc-format: '{paranumonly}';
}
```

2. From the Content Explorer, expand **Resources > Stylesheets**.

3. Right-click **Styles.css**, and from the context menu select **Open with > Internal Text Editor**.




4. Scroll to the bottom of the editor and paste the styles.

```
795 h3.Page-Break-Before
796 {
797     page-break-before: always;
798 }
799
800 li.Page-Break-Before
801 {
802     page-break-before: always;
803 }
804
805 ol.StepNumber > li
806 {
807     list-style-type: none;
808     mc-auto-number-format: 'S:Step {n+}: ';
809     mc-auto-number-class: StepNumber;
810     margin-left: -35px;
811     padding-left: 59px;
812     text-indent: -59px;
813 }
814
815 ol.StepNumber > li:first-child
816 {
817     mc-auto-number-format: 'S:Step {n=1}: ';
818 }
819
820
821 span.StepNumber
822 {
823     font-weight: bold;
824 }
825
826 MadCap|xref.StepNumber
827 {
828     mc-format: '{paranumonly}';
829 }
```

5. Click  to save your work.

I How to Apply Autonumber List Styles

1. Open the **Attractions.htm** topic.
2. Scroll down to the bottom of the topic, click at the end of the final list item, and press **ENTER** twice to create a new empty paragraph after the list.



3. Copy and paste the following at that location.

How to Get to Lady Bird Lake


Get in the car.

Follow the GPS directions to Lady Bird Lake.

If your mom calls, pull over safely and stop the car to take the call.

Go back to .

4. Place your cursor anywhere in the first paragraph ("How to Get to Lady Bird Lake"), and from the **Home** ribbon, click in the **Style** drop-down and select **h3**.



5. Select the rest of the text under the new heading.

How to Get to Lady Bird Lake

Get in the car.

Follow the GPS directions to Lady Bird Lake.

If your mom calls, pull over safely and stop the car to take the call.

Go back to .

6. From the **Home** ribbon, click the down arrow next to the **List** button  and select **Numbered List**.


You now have a simple numbered list.

How to Get to Lady Bird Lake


1. Get in the car.
2. Follow the GPS directions to Lady Bird Lake.
3. If your mom calls, pull over safely and stop the car to take the call.
4. Go back to .

7. Before continuing, we need to remove the <p> tags from the tags. So right-click the **ol** structure bar for the list, and from the context menu select **Make Simple Item(s)**.
8. Select (i.e., left-click) the **ol** structure bar for the list.

The entire list should be highlighted.



9. From the **Home** ribbon, click the **Style** drop-down and select **ol.StepNumber**.



10. Initially the numbering might not be seen in the XML Editor, so press **F5** to refresh.

The list should now look like this.

How to Get to Lady Bird Lake

Step 1: Get in the car.

Step 2: Follow the GPS directions to Lady Bird Lake.


Step 3: If your mom calls, pull over safely and stop the car to take the call.

Step 4: Go back to .


11. Click  to save your work.

I How to Insert a Cross-Reference to a Step

1. Click before the word **Follow** in step 2. Then, from the **Insert** ribbon, select **Bookmark**.



2. Type GPS as the name of the new bookmark and click **Add**.



A marker is shown in step 2 (if you have markers turned on). Markers do not display in the output.

How to Get to Lady Bird Lake


Step 1: Get in the car.

Step 2:  Follow the GPS directions to Lady Bird Lake.


Step 3: If your mom calls, pull over safely and stop the car to take the call.

Step 4: Go back to .

3. In step 4, click right before the period at the end of the sentence, then in the toolbar click .



4. In the dialog select **Place in this document**. Under **Bookmarks**, select **GPS**. And at the bottom of the dialog, select **MadCap:xref.StepNumber**.



5. Click OK.

The autonumber for step 2 is automatically used as the link.

How to Get to Lady Bird Lake

Step 1: Get in the car.

Step 2:  Follow the GPS directions to Lady Bird Lake.

Step 3: If your mom s, pull over safely and stop the car to take the call.

Step 4: Go back to Step 2.

6. At the end of step 1 press **ENTER** to create a new list item, and type Buckle your seatbelt.
7. Press **F5** to refresh the editor.

It should look like this now. Notice that the link still says "Step 2," even though the GPS information is now on step 3.

How to Get to Lady Bird Lake

Step 1: Get in the car.


Step 2: Buckle your seatbelt.

Step 3:  Follow the GPS directions to Lady Bird Lake.

Step 4: If your mom calls, pull over safely and stop the car to take the call.

Step 5: Go back to Step 2.

8. From the **Tools** ribbon select **Update Cross-References**.



9. In the dialog, click **Update**. Notice the link now shows "Step 3."

How to Get to Lady Bird Lake

Step 1: Get in the car.

Step 2: Buckle your seatbelt.

Step 3:  Follow the GPS directions to Lady Bird Lake.

Step 4: If your mom calls, pull over safely and stop the car to take the call.

Step 5: Go back to **Step 3**.

 **NOTE** It's not mandatory that you refresh the XML Editor or update the cross-references. Doing that is only for you to make sure the content is correct. If you fail to do this, the output will still be correct.

10. Click  to save your work.

Creating a Definition List

A definition list is used to create a group of terms and definitions. It is also sometimes referred to as a description list, and although it is called a "list," it does not have bullets or numbers. Instead, it is similar to a table that doesn't have borders (although it can have borders, shading, etc. if you edit the necessary styles).

One of the benefits of creating a definition list instead of using a table has to do with snippets. While creating snippets for parts of a table can be quite difficult, if not impossible, producing snippets from parts of a definition list is easy.


Let's create a definition list and also create a snippet from part of it.

This chapter discusses the following:


How to Create a Definition List	95
How to Create a Snippet in a Definition List	100

I How to Create a Definition List

1. Open the `Austin-City-Limits.htm` topic.
2. Click at the end of the final paragraph, and press **ENTER** to create a new empty paragraph.




3. Type `Hall of Fame`, apply the `h2` style to it, and press `ENTER`.




4. Type `Stevie Ray Vaughn`.

5. From the **Home** ribbon, click the down arrow on the **List** button  and select **Definition List**.




The text is placed in a `<dt>` tag, which in turn is placed inside a `<dl>` tag. The `<dl>` tag is for the entire definition list. The `<dt>` tag is for the definition term.




6. Press **ENTER**, and on the next line type `Inducted in 2014`.


Notice that text is placed within a `<dd>` tag, which is for the definition of the term above it. The text is indented because of the left margin currently associated with that style.



7. Press **ENTER**. Another `<dd>` tag is added, in case you want to add a second line for the definition.




But let's move on to another term. So press **ENTER** one more time. Now the empty line is inside a <dt> tag.



8. Type Willie Nelson and press **ENTER**.
9. Type Inducted in 2014 and press **ENTER** twice.
10. Type B.B. King and press **ENTER**.
11. Type Inducted in 2016.


The list should now look like this:




12. Click  to save your work.

I How to Create a Snippet in a Definition List

1. Select the two lines for Willie Nelson.




2. From the **Home** ribbon select **Create Snippet**.
3. In the **Snippet File** field, type `Willie-Nelson`, replacing the text in that field.



4. Click **Create**.

The content is now contained in a snippet tag.



However, if you were to open that snippet, you would see that the two lines are still placed within `<dt>` and `<dd>` tags. Therefore, you can insert that snippet within any definition list and it will function just like the other terms and definitions in the list.

5. Click  to save your work.

APPENDIX

PDFs

The following PDFs are available for download from the Help system.

I Tutorials

Autonumbers Tutorial

Back-to-Top Button Tutorial

Context-Sensitive Help Tutorial

Custom Toolbar Tutorial

eLearning Tutorial—Basic

eLearning Tutorial—Advanced

Getting Started Tutorial

Image Tooltips Tutorial

Lists Tutorial

Meta Tags Tutorial

Micro Content Tutorial—Basic

Micro Content Tutorial—Advanced

Responsive Output Tutorial

Single-Sourcing Tutorial

Snippet Conditions Tutorial

Styles Tutorials

Tables Tutorial

Word Import Tutorial

Cheat Sheets

Context-Sensitive Help Cheat Sheet

Folders and Files Cheat Sheet

Learning & Development Cheat Sheet

Lists Cheat Sheet

Micro Content Cheat Sheet

Print-Based Output Cheat Sheet

Search Cheat Sheet

Shortcuts Cheat Sheet

Structure Bars Cheat Sheet

Styles Cheat Sheet

User Guides

Accessibility Guide

Analysis and Reports Guide

Architecture Guide

Autonumbers Guide

Branding Guide

Condition Tags Guide

Context-Sensitive Help Guide

Eclipse Help Guide

eLearning Guide

*Flare Online Integration
Guide*

Getting Started Guide

Global Project Linking Guide

HTML5 Guide

Images Guide

Import Guide

Indexing Guide

Key Features Guide

Lists Guide

Meta Tags Guide

Micro Content Guide

Navigation Links Guide

Plug-In API Guide

Print-Based Output Guide

Project Creation Guide

QR Codes Guide

*Reviews & Contributions With
Contributor Guide*

Scripting Guide

Search Guide

SharePoint Guide

Skins Guide

Snippets Guide

Source Control Guide: Git

*Source Control Guide:
Perforce Helix Core*

*Source Control Guide:
Subversion*

*Source Control Guide: Team
Foundation Server*

Styles Guide

Tables Guide

Tables of Contents Guide

Targets Guide

Template Pages Guide

Templates Guide

Topics Guide

Touring the Workspace Guide

*Transition From FrameMaker
Guide*

*Translation and Localization
Guide*

Variables Guide

Videos Guide

What's New Guide